

Government of the People's Republic of Bangladesh
Chemical Laboratory
Custom House, Chattogram.
Web: www.chc.gov.bd/reports
E-mail: chcchemi.laboratory@gmail.com

Scanned
09 JUN 2022

Subject: Chemical Test Report.

Sample Received On: 07.06.2022


Sample Code No:

Date of Delivery:

Test Report No:

1064

01	B/E No. & Date	:	C-908359, Date-23.05.2022.
	File No. & Date	:	
02	Name of Section	:	Section-2
03	Declared Commodity Name as per Invoice/BE	:	Invoice Item Gypsum Powder (Plaster of Paris)
04	Method of Test/Analysis	:	Phy. tests C/CSH test etc.
05	Physical & Chemical Properties & Ingredients Found	:	Powder form. White colour. Slightly soluble in water. Sp.gr.>1 Ca ²⁺ test=+Ve. SO ₄ ²⁻ test=+Ve. Ingredient: Calcium Sulphate Hemihydrate (CaSO ₄ . ½ H ₂ O)
06	Result of Physical /Chemical Test/Analysis	:	The supplied sample is "Calcium Sulphate Hemihydrate (plaster of Paris)."
07	Probable use of Imported Goods.	:	It is used as plaster of Paris.
08	Comments (If any)	a	
		b	
		c	


07/06/22

Signature of Examiner
Md. Helal Hassan
Chemical Assistant
Custom House, Chattogram.