

Government of the People's Republic of Bangladesh
Chemical Laboratory
Custom House, Chattogram.
Web: www.chc.gov.bd/reports
E-mail: chcchemi.laboratory@gmail.com

Scanned
08 AUG 2022

Subject: Chemical Test Report.

Sample Received On: 01.08.2022


Sample Code No:

Date of Delivery:

Test Report No:

1410

01	B/E No. & Date	:	C-1308484, Date-26.07.2022.
	File No. & Date	:	
02	Name of Section	:	Section-2
03	Declared Commodity Name as per Invoice/BE	:	Invoice Item Methylene Chloride (Sample: 03 Bottles)
04	Method of Test/Analysis	:	Phy. tests C/MCI test etc.
05	Physical & Chemical Properties & Ingredients Found	:	Liquid form. Colourless. Slightly soluble in water. Density=1.33gm/cm ³ BP=39.8°C CH ₂ Cl ₂ test=+Ve. MCI test=+Ve.
06	Result of Physical /Chemical Test/Analysis	:	The supplied sample is "Methylene Chloride."
07	Probable use of Imported Goods.	:	It may be used as solvent in various industries.
08	Comments (If any)	a	
		b	
		c	


08/08/22

Signature of Examiner
Md. Helal Hassan
Chemical Assistant
Custom House, Chattogram.

08-Aug-22 5:11 PM

- Notes:
- The results described here are based only on the supplied sample(s) in this laboratory.
 - Complain or query regarding test report(s) should be lodged within one month of report delivery date.
 - The laboratory is not responsible for the data quality affected due to sampling, transporting and storage conditions of the sample(s) maintained before received in the laboratory.
 - This report or any part of this should not be published without prior approval of the authority.