

Government of the People's Republic of Bangladesh
Chemical Laboratory
Custom House, Chattogram.
Web: www.chc.gov.bd/reports
E-mail: chcchemi.laboratory@gmail.com

Scanned
05 SEP 2022

Subject: Chemical Test Report.

Sample Received On: 23.08.2022


Sample Code No:

Date of Delivery:

Test Report No:

1553

01	B/E No. & Date	:	C-1433501, Date-16.08.2022.
	File No. & Date	:	
02	Name of Section	:	Section-2
03	Declared Commodity Name as per Invoice/BE	:	Invoice Item Dibasic Calcium Phosphate (Sample: 02 Boyums)
04	Method of Test/Analysis	:	Phy. tests C/DCP test etc.
05	Physical & Chemical Properties & Ingredients Found	:	Powder form. White colour. Very slightly soluble in water. Sp.gr. > 1 Ca ²⁺ test = +Ve. HPO ₄ ²⁻ test = +Ve. C/DCP test = +Ve.
06	Result of Physical /Chemical Test/Analysis	:	The supplied sample is "Dibasic Calcium Phosphate."
07	Probable use of Imported Goods.	:	It is used in glass, plastic, animal feed supplement, dentifrice etc. industries.
08	Comments (If any)	a	
		b	
		c	


'06/09/22

Signature of Examiner
Md. Helal Hassan
Chemical Assistant
Custom House, Chattogram.

- Notes:
- The results described here are based only on the supplied sample(s) in this laboratory.
 - Complain or query regarding test report(s) should be lodged within one month of report delivery date.
 - The laboratory is not responsible for the data quality affected due to sampling, transporting and storage conditions of the sample(s) maintained before received in the laboratory.
 - This report or any part of this should not be published without prior approval of the authority.