

Government of the People's Republic of Bangladesh
Chemical Laboratory
Custom House, Chattogram.
Web: www.chc.gov.bd/reports
E-mail: chcchemi.laboratory@gmail.com


Scanned
11 OCT 2022

Subject: Chemical Test Report.

Sample Received On: 03.10.2022 Sample Tag No: 467918

Date of Delivery: Test Report No: 1864

01	B/E No. & Date	:	C-1452126, Date-21.08.2022.
	File No. & Date	:	৫/কাঃ হাঃ চট্ট/সেকশন-৭(বি)/৮৬২৫/শুকায়ন/২০২২/৭১৮, তারিখ-০৩/১০/২০২২ খ্রি.।
02	Name of Section	:	Section-7(B)
03	Declared Commodity Name as per Invoice/BE	:	Invoice Item Multilayer Extruded Sheet (Unprinted)
04	Method of Test/Analysis	:	Phy. tests C/MESP test etc.
05	Physical & Chemical Properties & Ingredients Found	:	Multilayer extruded sheet. Off-white colour. Not printed. Insoluble in water. Sp.gr.<1 MESP test=+Ve. Ingredients: Multilayer Polyethylene Sheet, Pigment, Adhesive.
06	Result of Physical /Chemical Test/Analysis	:	The supplied sample is "Multilayer Extruded Sheet of Plastic".
07	Probable use of Imported Goods.	:	It is used in plastic tube manufacturing industry.
08	Comments (If any)	a	
		b	
		c	


12/10/22

Signature of Examiner
Md. Helal Hassan
Chemical Assistant
Custom House, Chattogram.

11-04-22 11:21 AM

- Notes:
- The results described here are based only on the supplied sample(s) in this laboratory.
 - Complain or query regarding test report(s) should be lodged within one month of report delivery date.
 - The laboratory is not responsible for the data quality affected due to sampling, transporting and storage conditions of the sample(s) maintained before received in the laboratory.
 - This report or any part of this should not be published without prior approval of the authority.