

Government of the People's Republic of Bangladesh  
Chemical Laboratory  
Custom House, Chattogram.  
Web: [www.chc.gov.bd/reports](http://www.chc.gov.bd/reports)  
E-mail: [chcchemi.laboratory@gmail.com](mailto:chcchemi.laboratory@gmail.com)


Scanned  
11 DEC 2022

Subject: **Chemical Test Report.**

Sample Received On: 06.12.2022 Sample Code No: 513335

Date of Delivery: Test Report No: 2328

|    |   |          |   |
|----|---|----------|---|
| 01 | <b>B/E No. &amp; Date</b>   | :        | C-1862405, Date-13.11.2022.   |
|    | <b>File No. &amp; Date</b>  | :        |   |
| 02 | <b>Name of Section</b>  | :        | Section-7(A)  |
| 03 | <b>Declared Commodity Name as per Invoice</b>                     | :        | Invoice Item No.<br>MOS Orange Flavour (Sample:02 Bottles)  |
| 04 | <b>Method of Test/Analysis</b>                                    | :        | Phy. tests<br>C/MOS test etc.   |
| 05 | <b>Physical &amp; Chemical Properties &amp; Ingredients Found</b> | :        | Liquid form.<br>Brown colour.<br>Orange flavour.<br>Insoluble in water.<br>Dispersible in methanol, ethanol etc.<br>Sp.gr.<1<br>MOS test=+Ve.<br><b>Ingredients:</b> Mixture of odoriferous substances. |
| 06 | <b>Result of Physical /Chemical Test/Analysis</b>                 | :        | The supplied sample is "Mixture of Odoriferous Substances."   |
| 07 | <b>Probable use of Imported Goods.</b>                            | :        | It is commonly used in food industry.   |
| 08 | <b>Comments (If any)</b>  | <b>a</b> |   |
|    |   | <b>b</b> |   |
|    |   | <b>c</b> |   |

  
09/12/22

Signature of Examiner  
**Md. Helal Hassan**  
Chemical Assistant  
Custom House, Chattogram.

- Notes:
- The results described here are based only on the supplied sample(s) in this laboratory.
  - Complain or query regarding test report(s) should be lodged within one month of report delivery date.
  - The laboratory is not responsible for the data quality affected due to sampling, transporting and storage conditions of the sample(s) maintained before received in the laboratory.
  - This report or any part of this should not be published without prior approval of the authority.